

GATEWAY
4/12/2018

APIIC : VJA
12 MAR 2018
CE-II PESHU



State Level Environment Impact Assessment Authority (SEIAA)

Andhra Pradesh

Ministry of Environment, Forests & Climate Change

Government of India

D.No.33-26-14 D/2, Near Sunrise Hospital, Pushpa Hotel Centre,
Chalamavari Street, Kasturibaipet, Vijayawada

BY REGD.POST WITH ACK DUE

EE
12/03/18

Order No. SEIAA/ AP/ VSP/CON/08/2016/184- 698.

Dt:01.03.2018

Sub: SEIAA, A.P. - Development of Information Technology Park of M/s.Andhra Pradesh Industrial Infrastructure Corporation Ltd., at Sy. Nos. 314, Kapuluppada (V), Bheemunipatnam Mandal, Visakhapatnam District, A.P. - Environmental Clearance - Issued - Reg.

- I. This has reference to your application submitted vide lr. dt. 12.01.2018 seeking Environmental Clearance for the proposed Development of Information Technology Park by **Andhra Pradesh Industrial Infrastructure Corporation Ltd., at Sy. Nos. 314, Kapuluppada (V), Bheemunipatnam Mandal, Visakhapatnam District, A.P.** The capital cost of the project is Rs. 120.0 Crores.
- II. It was reported that the total site area of the project is 101.34 Ha, which involves construction of IT Park (24 Blocks), Commercial area (2 Blocks) & Utilities area (1 Block). The total built up area of 1,69,141 Sq.m out of which 63.96 Ha is total plotted area, Road area is 17.0 Ha; Open space / Greenbelt is 6.8 Ha; Utilities area is 1.32 Ha; IT / ITES area is 31.2 Ha; Commercial area is 7.6 Ha. Total No. of plots 27. The amenities to be provided includes Sewage Treatment Plants (STPs), Tot lots/ open spaces, MSW Segregation /processing plant, D.G. sets for emergency supply – 4 Nos x 2000 kVA & 2 x 750 kVA etc.
- III. The details of land use and built-up area are as follows:

Sl.No	Details of land use	Extent of Land (in Acres)	Extent of Land in (hectares)
1.	IT/ITES	77.18	31.2
2.	Utilities	3.27	1.32
3.	Commercial	18.81	7.6
4.	Open Space / Greenbelt	16.78	6.8
5.	Roads (Internal & External)	42.1	17
6.	Total Plotted Area	158.05	63.96
7.	Hill Slope Area	92.38	37.4
Total Boundary Area (6+7)		250.43	101.36

Handwritten signature

Block No.	Type of space	No of Floors	Total Built-up Area (Sq.m)
1.	Commercial	5	14921.6
2.	IT & ITES	5	5876.1
3.	IT & ITES	5	7478.6
4.	IT & ITES	5	5163.8
5.	IT & ITES	5	1869.6
6.	IT & ITES	5	1780.6
7.	IT & ITES	5	3561.2
8.	IT & ITES	5	3525.6
9.	IT & ITES	5	2813.4
10.	IT & ITES	5	1851.9
11.	IT & ITES	5	3561.2
12.	IT & ITES	5	3561.2
13.	IT & ITES	5	3561.2
14.	IT & ITES	5	4095.4
15.	IT & ITES	5	3027
16.	IT & ITES	5	3561.2
17.	IT & ITES	5	3561.2
18.	IT & ITES	5	3561.2
19.	IT & ITES	5	2813.4
20.	IT & ITES	5	4665.2
21.	Utilities	5	3561.2
23.	IT & ITES	5	3561.2
24.	IT & ITES	5	3561.2
25.	IT & ITES	5	35612.4
26.	IT & ITES	5	19462.1
27.	Commercial	5	18571.9
Total Built-up Area in Sq.m			169140.6

IV. The source of fresh water is GVMC. The total water requirement shall not exceed 764 KLD (including domestic water 256 KLD). Out of that, fresh water required is 399 KLD; Recycled water is 365 KLD. The sewage generated is 365 KLD is to be treated in STP and treated sewage is to be used for flushing, development of greenbelt. The capacity of STP is 450 KLD. The STP sludge generated is 24 kgs/day to be used as manure. The Solid waste generation is 5000 kg/day, out of this 2750 kg/day of Inorganic waste is to be segregated by the industries and to be disposed to authorized recyclers & 2250 kg/day organic waste is to be composted and to be used as manure. Used oil, used batteries discarded / Barrels / liners, Spent Carbon / Catalyst will be sent to Authorised Recyclers.


V. The proposal has been examined and processed in accordance with EIA Notification, 2006 & its amendments thereof. The State Level Expert Appraisal Committee (SEAC) examined the proposal in its meetings held on 20.01.2018. The

Real

representatives of the project proponent (APIIC) and their consultant M/s. HECS Consultants have attended the meeting and presented the final EIA report. The Committee noted that earlier TOR issued to this proposed IT Park project on 06.10.2016. In the proposed IT Park, the APIIC proposes construction of Business Park -24 Blocks, Commercial area - 2 blocks and Utilities area -1 block etc., with total land area of 101.4 Ha including hill slope area. The total built up area of the project is 1,69,141 Sq.m. The proposed project falls under Item 8(b) of the schedule of the EIA Notification 2006- Township and Area Development Projects - [$\geq 1,50,000$ sq. mtrs and $< 3,00,000$ sq. mtrs built up area] or [covering an area ≥ 50 Ha. and < 150 Ha.]. The public hearing was exempted, as provided for under Para 7(i) III. Stage (3)(i)(d) of EIA Notification, 2006. The final EIA report was submitted on 03.01.2018. *The Committee recommended for **issue of Environmental Clearance** to this Township & area development project : **APIIC - Information and Technology Park with built up area- 1,69,141.00 Sq.m in an extent of area – 101.34 Ha., including hill slope area.,** by stipulating the standard conditions and other conditions: The Project Proponent shall implement the solid waste management as per the Solid Waste Management Rule, 2016, applicable for construction projects; The parking area in compliance with the NBC/ MoEF/ local Government regulations as applicable, whichever is higher; The Project Proponent shall develop the avenue plantation along the approach road leading to the proposed project site.* The State Level Environment Impact Assessment Authority (SEIAA), in its meeting held on 06.02.2018 examined the proposal and agreed with the recommendations of SEAC, and decided to issue Environmental Clearance. The SEIAA, A.P hereby **accords prior Environmental Clearance to the project** as mentioned at Para No. I under the provisions of the EIA Notification 2006 and its subsequent amendments issued under Environment (Protection) Act, 1986 subject to implementation of the following specific and general conditions:

PART-A: SPECIAL CONDITIONS:

1. The proponent shall provide the Sewage Treatment Plant (STP) of capacity is 450 KLD the suitable disinfection system is to be provided in addition to the STP proposed in the EMP.
2. Dual plumbing system to be provided for reuse of the treated effluent for flushing and other purposes.
3. Solar Energy systems to be planned to utilize at least one third of the roof area.
4. The building shall be designed for compliance with earth quake resistance and resisting other natural hazards.
5. The proponent shall use only fly ash based products for construction, such as cement or concrete, fly ash bricks or tiles or clay fly ash bricks, or bricks, blocks or tiles or cement fly ash bricks or blocks or similar products or a combination or aggregate of them as required under MOEF notification S.O.763(E) d 14.9.1999 amended thereof.




6. Provision for Rain Water Harvesting (RWH) is to be made for collection, usage and also for ground water table maintenance.
7. The proponent shall use only LED lights in the common areas and internal roads.
8. The proponent shall create Corpus Fund of Rs.2.70 Crores to ensure continuous operation of STP.
9. The proponent shall obtain required clearances if any from all regulatory Departments including Fire Department, before starting the construction.
10. The proponent shall develop green belt in an area not less than 10% of plot area in addition to green belt in set-back areas.
11. *The parking area in compliance with the NBC/ MoEF/ local Government regulations as applicable, whichever is higher;*
12. *The Project Proponent shall develop the avenue plantation along the approach road leading to the proposed project site.*
13. *The Project Proponent shall implement the solid waste management as per the Solid Waste Management Rule, 2016, applicable for construction projects;*
14. Separate space for segregation, storage, decentralized processing of solid waste shall be provided in addition to processing of biodegradable waste in the premises.
15. Construction and demolition waste shall be handled and disposed as per the provisions of construction and demolition waste Management Rules, 2016.


PART-B SPECIFIC CONDITIONS:

I. CONSTRUCTION PHASE:

- i. Provision shall be made for the housing of the construction labour within the site with all necessary infrastructure and facilities such as safe drinking water, fuel for cooking, mobile toilets, mobile STP, medical health care, crèche etc., The housing may be in the form of temporary structures to be removed after the completion of the project. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- ii. A First Aid Room shall be provided in the project both during construction and operation of the project.
- iii. All the topsoil excavated during construction activities should be stored for use in horticulture/landscape development within the project site.
- iv. Disposal of muck during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.




- v. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- vi. Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate watercourses and the dump sites for such material must be secured so that they should not leach into the ground water.
- vii. Any hazardous waste including biomedical waste, if any, should be disposed of as per applicable Rules & norms with necessary approvals of the Andhra Pradesh Pollution Control Board.
- viii. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to E (P) Rules prescribed for air and noise emission standards.
- ix. Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours
- x. Ambient noise levels should conform to the residential standards both during day and night as notified by the MoEF&CC, GOI from time to time. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by the CPCB.
- xi. Ready mixed concrete must be used in building construction.
- xii. Storm water control and its re-use shall be as per CGWB and BIS standards for various applications.
- xiii. Permission to draw ground water shall be obtained from the competent Authority prior to construction/operation of the project.
- xiv. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- xv. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices of sensor based control.
- xvi. Use of glass may be reduced by upto 40% to reduce the electricity consumption and load on air-conditioning. If necessary, high quality double glass with special reflective coating in window is to be used.
- xvii. Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.



- xviii. Adequate measures to reduce air and noise pollution during construction keeping in mind CPCB norms on noise limits.
- xix. Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code which is proposed to be mandatory for all air-conditioned spaces while it is aspirational for non-air conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
- xx. The approval of the competent authority shall be obtained for structural safety of the buildings due to earthquake, adequacy of fire fighting equipments, etc. as per National Building Code including protection measures from lightening etc.
- xxi. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.

II. Occupational Phase:


- xxii. The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the SEIAA before the project is commissioned for operation. Discharge of treated sewage shall conform to the norms & standards of the Andhra Pradesh Pollution Control Board. Sewage Treatment Plant should be monitored on a regular basis. No waste water shall be discharged out side the premises until outlet is connected to public sewer line. Till such time, the excess treated sewage, if any, is to be discharged into an artificial pond with in the premises and can be utilized for recreational purpose
 - i. Rain water harvesting for roof run-off and surface run-off, as plan submitted should be implemented. Before recharging the surface run off, pre-treatment must be done to remove suspended matter, oil and grease.
 - ii. The solid waste generated should be properly collected & segregated before disposal to the Facility. The organic waste shall be composted.
 - iii. The D.G. Sets shall be provided with acoustic enclosures and adequate stack height as per CPCB norms. The fuel used for the diesel generator sets should be low sulphur diesel and should conform to E (P) Rules prescribed for air and noise emission standards.
 - iv. Any hazardous waste including biomedical waste should be disposed of as per applicable Rules & norms with necessary approvals of the Andhra Pradesh Pollution Control Board.




- v. The green belt design along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use by the MoEF&CC, GOI/CPCB. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous variety. During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
- vi. Incremental pollution loads on the ambient air quality, noise and water quality should be periodically monitored after commissioning of the project.
- vii. Application of solar energy should be incorporated for illumination of common areas, lighting for gardens and street lighting in addition to provision for solar water heating. A hybrid systems or fully solar system for a portion of the apartments should be provided by utilizing atleast 1/3rd roof area for solar energy system.
- viii. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- ix. Adequate number of parking spaces shall be provided for visitor vehicles. Rest room facilities should be provided for service population. The proponent shall provide public convenience facilities such as toilets, bathrooms, waiting rooms etc. for the drivers, workers etc. so as to maintain cleanness/hygienic conditions in the surroundings of the project.
- x. The proponent shall comply with Energy Conservation Practices, Energy efficient practices and energy audit practices. Wherever feasible, green building concepts shall be adopted. Use of solar panels may be done to the extent possible.
- xi. Adequate measures should be taken to prevent odour problem from solid waste processing plant and STP.

PART – C. GENERAL CONDITIONS:

- i. **This order is valid for a period of 7 years.**
- ii. “Consent for Establishment” shall be obtained from Andhra Pradesh Pollution Control Board under Air and Water Act before the start of any construction work at site.



- iii. The proponent shall submit half-yearly compliance reports in respect of the terms and conditions stipulated in this order & monitoring reports in hard and soft copies to the SEIAA and Ministry's Regional office, Chennai on 1st June and 1st December of each calendar year.
- iv. Officials from the Regional Office of MoEF&CC, Chennai who would be monitoring the implementation of environmental safeguards should be given full co-operation, facilities and documents/data by the project proponents during their inspection. A complete set of all the documents shall be submitted to the CCF, Regional Office, MoE&F, Chennai.
- v. In the case of any change (s) in the scope of the project, the project would require a fresh appraisal by this SEIAA. No further expansion or modifications in the project shall be carried out without prior approval of the SEIAA, AP.
- vi. The project proponent shall submit the copies of the environmental clearance to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- vii. The proponent shall obtain clearance from Fire Department. All other statutory clearances shall be obtained, as applicable by project proponents from the competent authorities.
- viii. The project proponent should advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded environmental clearance and copies of clearance letters are available with the Andhra Pradesh Pollution Control Board. The advertisement should be made within 7 days from the day of issue of the clearance letter and a copy of the same should be forwarded to the Regional Office of this Ministry at Chennai.
- ix. The funds earmarked for environmental protection measures (**Capital cost for – Rs.115.0 Lakhs & recurring cost for – 17.0 Lakhs/annum**) should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the SEIAA and Ministry's Regional Office, located at Chennai.
- x. Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- xi. The SEIAA may revoke or suspend the order, if implementation of any of the above conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environment protection.



- xii. Concealing the factual data or failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986 without any prior notice.
- xiii. These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.


Sd/-
MEMBER SECRETARY,
SEIAA, A.P.

Sd/-
MEMBER,
SEIAA, A.P.

Sd/-
CHAIRMAN,
SEIAA, A.P.

To
The Chief Engineer-2,
Andhra Pradesh Industrial Infrastructure Corporation Ltd.,
(APIIC).
1st Floor, Sri Siva Complex, Fun Times Club Road,
Teachers Colony, Vijayawada-520008.

//T.C.F.B.O//


P. Murali Swamy Reddy
SENIOR ENVIRONMENTAL ENGINEER (EC)